

■MDジョイント(MD・EDフランジセット付) (2020/2/1)

符号 呼び	90° Y	90° 大曲りY	45° Y	ソケット		ロング90° Y	90° エルボ
	ST	TY	Y	S		LST	90° L
1¼	(24) 4, 660	(20) 5, 210	(16) 4, 940	(48) 3, 140			(35) 3, 140
1½×1¼	(18) 4, 660	(15) 5, 210	(16) 4, 940	(36) 3, 140			
1½	(16) 4, 660	(15) 5, 210	(16) 4, 940	(48) 3, 140			(30) 3, 140
2×1¼	(12) 5, 500	(12) 6, 010	(12) 5, 620	(25) 3, 520			
2×1½	(12) 5, 620	(10) 6, 150	(12) 5, 770	(25) 3, 520		(6) 8, 690	(20) 3, 690
2	(12) 6, 130	(10) 6, 750	(10) 6, 440	(24) 3, 810			(20) 4, 050
2½×1½	(12) 7, 110	(6) 7, 710	(10) 7, 330	(18) 4, 320		(4) 10, 920	
2½×2	(10) 7, 650	(6) 8, 300	(6) 7, 920	(18) 4, 640		(4) 11, 290	
2½	(6) 8, 590	(6) 9, 340	(6) 9, 050	(15) 5, 230		(4) 12, 040	(10) 5, 610
3×1½	(6) 8, 950	(6) 9, 600	(6) 9, 210	(12) 5, 390		(4) 13, 550	
3×2	(6) 9, 150	(4) 10, 260	(6) 10, 030	(12) 5, 730		(4) 14, 100	
3×2½	(6) 9, 860	(4) 11, 580	(4) 10, 930	(12) 6, 280		(4) 15, 880	
3	(4) 11, 470	(3) 12, 780	(4) 12, 250	(8) 6, 920		◇ 21, 290	(8) 8, 000
4×1½	(4) 10, 710	(4) 11, 580	(4) 11, 070				
4×2	(4) 11, 390	(4) 12, 430	(4) 11, 920	(8) 6, 800		(2) 17, 810	
4×2½	(4) 12, 260	(3) 13, 810	(4) 13, 080	(8) 7, 590		(2) 18, 350	
4×3	(4) 13, 390	(2) 15, 520	(3) 14, 110	(8) 8, 350		(2) 20, 390	
4	(2) 15, 310	(2) 17, 540	(2) 15, 910	(6) 8, 630			(5) 9, 840
5×1½	(2) 18, 660					◇ 29, 290	
5×2	(2) 19, 130	(2) 20, 080	(2) 18, 720			◇ 30, 590	
5×2½	(2) 20, 180	(2) 22, 500	(2) 21, 270			(2) 32, 500	
5×3	(2) 21, 640	(2) 23, 970	(2) 23, 340	(4) 12, 310		◇ 34, 720	
5×4	(2) 24, 120	(1) 27, 850	(2) 25, 060	(3) 13, 610			
5	(1) 28, 660	(1) 33, 600	(1) 30, 210	(3) 15, 210			(2) 17, 980
6×2	(2) 25, 800	(1) 31, 960	(2) 30, 220				
6×2½							
6×3	(1) 26, 750	(1) 33, 050	(1) 30, 670	(3) 15, 700			
6×4	(2) 29, 820	(1) 33, 470	(1) 31, 270	(2) 16, 530			
6×5	(1)	40, 300	34, 750	(2) 18, 210			
6	(1) 37, 480	(1) 46, 510	39, 930	(3) 19, 680			(2) 23, 780
8×4		128, 070	115, 410	49, 670			
8×5		129, 590	116, 910	51, 480			
8×6		130, 890	118, 090	52, 090			
8		(1) 136, 240	123, 310	(2) 57, 100			(1) 67, 320

●()内は箱入り数量を表します。

●◇は受注生産品です。

●□は製造中止予定品です。

■MDジョイント(MD・EDフランジセット付) (2020/2/1)

符号 呼び	90° 大曲リエルボ	汚水用 90° エルボ	45° エルボ	掃除口付 満水継手	フランジセット		
	90° LL	90° LLS	45° L		MD	ED (ED-C)	EPDM耐熱 (ED-C EPDM)
1¼	(30) 3, 270		(40) 3, 140		(70) 840		
1½×1¼	(30) 3, 270						
1½	(25) 3, 270		(35) 3, 140		(60) 840	(60) 840	(60) 1,390
2×1¼	(16) 3, 920						
2×1½	(16) 3, 920						
2	(20) 4, 310		(20) 3, 930	(6) 16, 350	(40) 1,040	(40) 1,040	(40) 1,770
2½×1½	(10) 5, 070						
2½×2	(10) 5, 460						
2½	(8) 6, 220		(12) 5, 340	(4) 19, 390	(30) 1,360	(30) 1,360	(30) 2,240
3×1½							
3×2	(8) 6, 640						
3×2½	(8) 7, 260	(4) 8, 790					
3	(7) 8, 330	(4) 9, 480	(12) 7, 830	(3) 24, 470	(25) 1, 860	(20) 1, 860	(20) 3, 440
4×1½							
4×2							
4×2½	(4) 9, 330						
4×3	(4) 9, 920	(3) 11, 380					
4	(4) 10, 780	(2) 12, 670	(4) 9, 120	(2) 32, 220	(15) 2, 320	(15) 2, 320	(15) 4, 470
5×1½							
5×2							
5×2½							
5×3							
5×4	(2) 16, 240	(2) 19, 340					
5	(2) 19, 530	(1) 23, 230	(2) 16, 590	(2) 48, 270	(17) 3, 790	(17) 3, 790	(17) 6, 310
6×2							
6×2½							
6×3							
6×4							
6×5	(1) 25, 300	(1) 28, 750					
6	(1) 26, 940	(1) 32, 020	(2) 21, 500	(1) 57, 080	(10) 4, 900	(10) 4, 900	(10) 9, 080
8×4							
8×5							
8×6		85, 810					
8	(1) 78, 530		(1) 62, 290		9, 810	9, 810	19, 630

●()内は箱入り数量を表します。

●◇は受注生産品です。

●□は製造中止予定品です。

注意:WPF-M上はMDフランジセット、ED-Cフランジセット、ED-C EPDM耐熱フランジセットをご使用ください。

■MDジョイント(MD・EDフランジセット付) (2020/2/1)

符号 呼び	掃除口付 ソケット	CO栓	鉛管用 アダプタ	掃除口付 伸縮継手	スリップ ジョイント	養生ふた	鋳鉄管接続用 パッキンセット	ボルト化粧 キャップ	トンレス		圧送配管用 フランジ
	COS	CO	LS	COS-E	SS		FPS				PF
1¼		(50) 1, 440	(20) 2, 930			160					
1½		(50) 1, 440	(20) 2, 930		(48) 4, 810	160		(M8)			
2	(12) 6, 300	(40) 1, 690	(40) 3, 440		(24) 5, 210	160	(40) 1, 990	170	(500) 1030	◇ 4, 240	
2½	(10) 8, 900	(30) 2, 250	(25) 4, 020	□ 6	9, 910	(10) 6, 820	220	(30) 2, 760	(350) 1050	◇ 5, 940	
3	(6) 12, 490	(20) 3, 250	(20) 5, 480	□ 4	13, 430	(8) 9, 520	230	(20) 3, 350	(M10) (300) 1, 240	◇ 6, 680	
4	(3) 15, 450	(15) 3, 620	(10) 6, 220	□ 3	19, 130	(6) 12, 840	300	(12) 3, 960	170 (250) 1, 650	◇ 7, 900	
5	(2) 26, 380	(9) 7, 090				(2) 19, 280		(15) 6, 470	(M12) (200) 1, 890	◇ 10, 630	
6	(2) 35, 370	(7) 8, 840				(3) 23, 810		(10) 7, 720	170 (150) 4, 850	◇ 12, 230	
8		30, 600									

LST-L (A=400)	
3×2½	22, 350
4×2 (A=600) (3)	37, 200
4×2½ (2)	26, 470
5×2½	39, 930

VST-B (C=220)	
3×3	19, 950
4×3	22, 410
5×3	30, 260

流し排水用 ロングエルボ TL	
1½×65	(20) 5, 630
1½×120	(15) 6, 020
2×1½×120	□10 7, 600
2×1½×75	□10 7, 220
2×150	□10 10, 840

VST-A	
3×3	(4) 15, 080
4×3	(3) 17, 970
5×3	□2 27, 850

サニタリー アダプタ SA	
3	(4) 9, 350

洗面器用アダプタ VRA	
1½×1¼×70	(35) 4, 400

VST-AH	
4×3	□2 23, 920

サニタリー アダプタ SA-L	
3	(4) 20, 230

洗面器用アダプタ	
VRA-L 1½×1¼	(30) 5, 760

排水鋳鉄管用レジャーサ FPR	
3	2, 950
4	3, 570

浴室排水用 VST-C	
2×1½	◇ 8, 680
2½×1½	9, 920
2½×2	10, 770
3×1½	◇ 11, 780
4×1½	◇ 14, 590

吊バンド	
2½	(30) 2, 450
3	(20) 2, 700
4	(15) 3, 170
5	(12) 3, 700
6	(10) 4, 530

30A塩ビ管接続用アダプタ VPA	
3×3	1, 630

洗面器用 VST-C	
2×φ32	◇ 8, 680
2½×φ32	9, 920
3×φ32	◇ 11, 780

VRA-P	
1¼	270

- ()内は箱入り数量を表します。
- ◇は受注生産品です。
- は製造中止予定品です。

VST-P	
3	790

注意: SSはMDフランジセット、ED-Cフランジセット、ED-C EPDM耐熱フランジセットをご使用ください。

■MDジョイント(MD・EDフランジセット付) (2020/2/1)

住戸転がし配管用	90° LL-BF
2½	7,330

住戸転がし配管用	45° L-BF
2½	6,350

住戸転がし配管用	TY-BF
2½×1½	9,020
2½×2	9,770

住戸転がし配管用	MD BF フランジ ED BF フランジ
2½	1,530

住戸転がし配管用	CO-BF
2½	2,470

差込型90° エルボ	90° LB
1½	(30) 3,670
2	(20) 4,140
2×300	□ 7,790
2½	7,150
3	(8) 9,030
4	(4) 11,600

差込型45° エルボ	45° LB
1½	(30) 3,750
2	(20) 4,420
2½	6,060
3	(10) 7,400
4	(4) 11,570

符号 呼び	フランジセット (SUS B/N)		
	MD	ED (ED-C)	EPDM耐熱 (ED-C EPDM)
1¼	(70) 1,220		
1½	(60) 1,220	(60) 1,220	(60) 1,770
2	(40) 1,420	(40) 1,420	(40) 2,150
2½	(30) 1,930	(30) 1,930	(30) 2,810
3	(25) 2,940	(20) 2,940	(20) 4,520
4	(15) 3,400	(15) 3,400	(15) 5,550
5	(17) 6,250	(17) 6,250	(17) 8,770
6	(10) 7,360	(10) 7,360	(10) 11,540
8	13,410	13,410	23,230

符号 呼び	ロックエース フランジセット	
	LK-F	LK-F (SUS B/N)
2	4,830	◇ 8,450
2½	6,770	◇ 12,000
3	7,520	◇ 13,730
4	8,990	◇ 15,400
5	12,130	◇ 23,270
6	13,860	◇ 26,610
8	32,250	◇ 47,290

■満水試験用治具

- ・2 ￥38,410-
- ・2½ ￥39,500-
- ・3 ￥39,700-
- ・4 ￥41,400-
- ・5 ￥49,220-
- ・6 ￥52,800-

■満水試験用治具(横抜き)

- ・2½ ￥50,830-
- ・3 ￥51,000-
- ・4 ￥54,050-
- ・5 ￥64,400-
- ・6 ￥69,250-

■VST用締付工具

- ￥5,570-

■トルクレンチ

- ・SPK 13-13 ￥24,960-
- ・SPK 13-15 ￥24,960-
- ・SPK 17 ￥27,050-
- ・SPK 19 ￥29,400-
- ・SPK 22 ￥37,500-

※上記5点 セット価格(専用ケース入り)
￥143,750-

- ()内は箱入り数量を表します。
- ◇は受注生産品です。
- は製造中止予定品で

■MDジョイント本体のみ (2020/2/1)

符号 呼び	90° Y	90° 大曲りY	45° Y	ソケット		ロング90° Y	90° エルボ
	ST	TY	Y	S		LST	90° L
1¼	(24) 2, 140	(20) 2, 690	(16) 2, 420	(48) 1, 460			(35) 1, 460
1½×1¼	(18) 2, 140	(15) 2, 690	(16) 2, 420	(36) 1, 460			
1½	(16) 2, 140	(15) 2, 690	(16) 2, 420	(48) 1, 460			(30) 1, 460
2×1¼	(12) 2, 580	(12) 3, 090	(12) 2, 700	(25) 1, 640			
2×1½	(12) 2, 700	(10) 3, 230	(12) 2, 850	(25) 1, 640		(6) 5, 770	(20) 1, 810
2	(12) 3, 010	(10) 3, 630	(10) 3, 320	(24) 1, 730			(20) 1, 970
2½×1½	(12) 3, 550	(6) 4, 150	(10) 3, 770	(18) 2, 120		(4) 7, 360	
2½×2	(10) 3, 890	(6) 4, 540	(6) 4, 160	(18) 2, 240		(4) 7, 530	
2½	(6) 4, 510	(6) 5, 260	(6) 4, 970	(15) 2, 510		(4) 7, 960	(10) 2, 890
3×1½	(6) 4, 390	(6) 5, 040	(6) 4, 650	(12) 2, 690		(4) 8, 990	
3×2	(6) 4, 390	(4) 5, 500	(6) 5, 270	(12) 2, 830		(4) 9, 340	
3×2½	(6) 4, 780	(4) 6, 500	(4) 5, 850	(12) 3, 060		(4) 10, 800	
3	(4) 5, 890	(3) 7, 200	(4) 6, 670	(8) 3, 200		◇ 15, 710	(8) 4, 280
4×1½	(4) 5, 230	(4) 6, 100	(4) 5, 590				
4×2	(4) 5, 710	(4) 6, 750	(4) 6, 240	(8) 3, 440		(2) 12, 130	
4×2½	(4) 6, 260	(3) 7, 810	(4) 7, 080	(8) 3, 910		(2) 12, 350	
4×3	(4) 6, 890	(2) 9, 020	(3) 7, 610	(8) 4, 170		(2) 13, 890	
4	(2) 8, 350	(2) 10, 580	(2) 8, 950	(6) 3, 990			(5) 5, 200
5×1½	(2) 10, 240					◇ 20, 870	
5×2	(2) 10, 510	(2) 11, 460	(2) 10, 100			◇ 21, 970	
5×2½	(2) 11, 240	(2) 13, 560	(2) 12, 330			(2) 23, 560	
5×3	(2) 12, 200	(2) 14, 530	(2) 13, 900	(4) 6, 660		◇ 25, 280	
5×4	(2) 14, 220	(1) 17, 950	(2) 15, 160	(3) 7, 500			
5	(1) 17, 290	(1) 22, 230	(1) 18, 840	(3) 7, 630			(2) 10, 400
6×2	(2) 14, 960	(1) 21, 120	(2) 19, 380				
6×2½							
6×3	(1) 15, 090	(1) 21, 390	(1) 19, 010	(3) 8, 940			
6×4	(2) 17, 700	(1) 21, 350	(1) 19, 150	(2) 9, 310			
6×5	(1)	26, 710	21, 160	(2) 9, 520			
6	(1) 22, 780	(1) 31, 810	25, 230	(3) 9, 880			(2) 13, 980
8×4		106, 130	93, 470	37, 540			
8×5		106, 180	93, 500	37, 880			
8×6		106, 370	93, 570	37, 380			
8		(1) 106, 810	93, 880	(2) 37, 480			(1) 47, 700

●()内は箱入り数量を表します。

●◇は受注生産品です。

●□は製造中止予定品です。

■MDジョイント本体のみ (2020/2/1)

符号 呼び	90° 大曲リエルボ	汚水用 90° エルボ	45° エルボ	掃除口付 満水継手 WPF-M	フランジセット		
	90° LL	90° LLS	45° L		MD	ED (ED-C)	EPDM耐熱 (ED-C EPDM)
1¼	(30) 1,590		(40) 1,460		(70) 840		
1½×1¼	(30) 1,590						
1½	(25) 1,590		(35) 1,460		(60) 840	(60) 840	(60) 1,390
2×1¼	(16) 2,040						
2×1½	(16) 2,040						
2	(20) 2,230		(20) 1,850	(6) 14,270	(40) 1,040	(40) 1,040	(40) 1,770
2½×1½	(10) 2,870						
2½×2	(10) 3,060						
2½	(8) 3,500		(12) 2,620	(4) 16,670	(30) 1,360	(30) 1,360	(30) 2,240
3×1½							
3×2	(8) 3,740						
3×2½	(8) 4,040	(4) 5,570					
3	(7) 4,610	(4) 5,760	(12) 4,110	(3) 20,750	(25) 1,860	(20) 1,860	(20) 3,440
4×1½							
4×2							
4×2½	(4) 5,650						
4×3	(4) 5,740	(3) 7,200					
4	(4) 6,140	(2) 8,030	(4) 4,480	(2) 27,580	(15) 2,320	(15) 2,320	(15) 4,470
5×1½							
5×2							
5×2½							
5×3							
5×4	(2) 10,130	(2) 13,230					
5	(2) 11,950	(1) 15,650	(2) 9,010	(2) 40,690	(17) 3,790	(17) 3,790	(17) 6,310
6×2							
6×2½							
6×3							
6×4							
6×5	(1) 16,610	(1) 20,060					
6	(1) 17,140	(1) 22,220	(2) 11,700	(1) 47,280	(10) 4,900	(10) 4,900	(10) 9,080
8×4							
8×5							
8×6		71,100					
8	(1) 58,910		(1) 42,670		9,810	9,810	19,630

●()内は箱入り数量を表します。

●◇は受注生産品です。

●□は製造中止予定品です。

注意:WPF-M上はMDフランジセット、ED-Cフランジセット、ED-C EPDM耐熱フランジセットをご使用ください。

■MDジョイント本体のみ (2020/2/1)

呼び	符号	掃除口付 ソケット	掃除口付 伸縮継手	スリップ ジョイント
		COS	COS-E	SS
1¼				
1½				(48) 3, 130
2	(12) 4, 220			(24) 3, 130
2½	(10) 6, 180	6	8, 550	(10) 4, 100
3	(6) 8, 770	4	11, 570	(8) 5, 800
4	(3) 10, 810	3	16, 810	(6) 8, 200
5	(2) 18, 800			(2) 11, 700
6	(2) 25, 570			(3) 14, 010
8				

LST-L (A=400)	
3×2½	17, 270
4×2 (A=600)	(3) 31, 520
4×2½	(2) 20, 470
5×2½	30, 990

VST-B (C=220)	
3×3	16, 230
4×3	17, 770
5×3	22, 680

流し排水用 ロングエルボ		TL
1½×65	(20)	4, 790
1½×120	(15)	5, 180
2×1½×120	10	6, 560
2×1½×75	10	6, 180
2×150	10	9, 800

VST-A		
3×3	(4) 11, 360	
4×3	(3) 13, 330	
5×3	2	20, 270

浴室排水用 VST-C	
2×1½	◇ 6, 600
2½×1½	7, 200
2½×2	8, 050
3×1½	◇ 8, 060
4×1½	◇ 9, 950

VST-AH		
4×3	2	19, 280

洗面器用 VST-C	
2×φ32	◇ 6, 600
2½×φ32	7, 200
3×φ32	◇ 8, 060

●()内は箱入り数量を表します。

●◇は受注生産品です。

●□は製造中止予定品です。

注意:SSはMDフランジセット、ED-Cフランジセット、ED-C EPDM耐熱フランジセットをご使用ください。

■MDジョイント本体のみ (2020/2/1)

住戸転がし 配管用	90° LL-BF
2½	4, 270

住戸転がし 配管用	45° L-BF
2½	3, 290

住戸転がし 配管用	TY-BF
2½×1½	5, 120
2½×2	5, 670

符号 呼び	フランジセット (SUS B/N)		
	MD	ED (ED-C)	EPDM耐熱 (ED-C EPDM)
1¼	(70) 1,220		
1½	(60) 1,220	(60) 1,220	(60) 1,770
2	(40) 1,420	(40) 1,420	(40) 2,150
2½	(30) 1,930	(30) 1,930	(30) 2,810
3	(25) 2,940	(20) 2,940	(20) 4,520
4	(15) 3,400	(15) 3,400	(15) 5,550
5	(17) 6,250	(17) 6,250	(17) 8,770
6	(10) 7,360	(10) 7,360	(10) 11,540
8	13,410	13,410	23,230

差込型90° エルボ	90° LB
1½	(30) 2,830
2	(20) 3,100
2×300	□ 6,750
2½	5,790
3	(8) 7,170
4	(4) 9,280

差込型45° エルボ	45° LB
1½	(30) 2,910
2	(20) 3,380
2½	4,700
3	(10) 5,540
4	(4) 9,250

- ()内は箱入り数量を表します。
- ◇は受注生産品です。
- は製造中止予定品です。